

SECTION C-C

PAPI TYPE B 2 OR 4 BOX SYSTEM

1. 2 IN DIA EMT TUBING (2 3/16 OD) TO BE PROVIDED AND INSTALLED BY CONTRACTOR. LENGTH TO BE DETERMINED AT INSTALLATION TO ADJUST FOR UNEVEN TERRAIN AND TO MOUNT OPTICAL BOX AT CORRECT ELEVATION ABOVE THE RUNWAY. 2 IN EMT TUBE TO EXTEND 3 1/4" INTO FRANGIBLE COUPLING AND FULL INSERTION INTO COMPRESSION COUPLING TO ENSURE STABLE INSTALLATION. TUBE MUST BE PAINTED

INTERNATIONAL ORANGE PER FED-STD-595, COLOR 12197 TO PROVIDE CORROSION

- PROTECTION
- TITMS PROVIDED WITH OPTICAL ENCLOSURE.
 FOR SERIES CIRCUIT (TYPE B) APPLICATIONS, HIGH VOLTAGE FIELD CABLES AND LOW VOLTAGE COMMUNICATION CABLES MUST HAVE SEPARATE CONDUIT RUNS. SEE 43A4151 FOR LED PAPI STYLE B EXTERNAL WIRING DIAGRAM.
- 4. FOR VOLTAGE POWERED (TYPE A) APPLICATIONS, A SEPARATE HIGH VOLTAGE CONDUIT IS
- D 5. ITEMS SPECIFIED AS CONTRACTOR PROVIDED ARE AVAILABLE AS AN OPTIONAL 94A0716-XX-XXX KIT 94A0716 /A2 LED PAPI STYLE A 2 BOX CONTRACTOR PROVIDED ITEMS 94A0716 /A4 LED PAPI STYLE A 4 BOX CONTRACTOR PROVIDED ITEMS 94A0716 /B2 LED PAPI STYLE B 2 BOX CONTRACTOR PROVIDED ITEMS 94A0716 /B4 LED PAPI STYLE B 4 BOX CONTRACTOR PROVIDED ITEMS NOTE: 94A0716 /XX/CAN IS AN IDENTICAL KIT EXCEPT FOR LONGER CONDUIT LENGTH TO ACCOMODATE
 - THE LONGER CANADIAN POWER CORDS. ALSO SEE NOTE 7.

 6. BASE PLATES ARE AVAILABLE AS OPTIONAL SALES ORDER LINE ITEM. BOTH BASE PLATES ARE MACHINED 2-11.5 NPS TO MATCH THE THREADS OF THE PROVIDED 62A0711 FRANGIBLE COUPLING.
- 7. THE STANDARD CORD LENGTH IS 8 FT LONG WITH 7 FT EXTENDING OUTSIDE THE ENCLOSURE. FOR THE CANADIAN MARKET, AN OPTIONAL (10 FT LONGER) CORD IS AVAILABLE AS: 94A0690/A2 LED PAPI A 2 BOX CORD EXTENSION KIT

94A0690/A4 LED PAPI A 4 BOX CORD EXTENSION KIT 94A0690/B2 LED PAPI B 2 BOX CORD EXTENSION KIT 94A0690/B4 LED PAPI B 4 BOX CORD EXTENSION KIT

NOTE: The 94A0690/XX optional cord length kit must be ordered as a separate line item when ordering the LPLX/XXXXXX system.

	CONTROLLED CO							D COPY	
							Unauthorized duplication of this document in whole or part is prohibited. Initialed in RED ink below indicates authorized copy.		
							INITIAL & DATE:		
							ADB		
							SAFEGATE		
							ADB Airfield Solutions		
							977 Gahanna Parkway, Colu		
	D	D 4483 1-1/4" TRADE		E SIZE WAS 1"	JEG	02DEC15	Telephone: 614-861-1304, Fax: 614-864	ax: 614-864-2069	
	C 4243 ADD OPTION FOR LONGER CORDS			DLR	25SEP14	DRAWING TITLE: LED PAPI STYLE A & STYLE B			
	В	B PRODUCTION RELEASE			DLR	22JUL14			
REFERENCE DOCUMENTATION:	Α	PRODUCTIO		N RELEASE	DLR	10APR13	L-880 / L-881	011 02 17 1120	
LED PAPI MANUAL	REV	ECO NUMBER	R	EVISION DESCRIPTION	DRAWN	REV DATE			
LED PAPI INSTALLATION OF FIELD CABLE - 2 BOX CURRENT	ASSOCIATED DRAWINGS:			DRAWN BY:	DRAWN	DATE:	SHEET NUMBER:		
LED PAPI INSTALLATION OF FIELD CABLE - 2 BOX VOLTAGE	DLR				10AP		N/A	1 of 3	
LED PAPI INSTALLATION OF FIELD CABLE - 4 BOX VOLTAGE	All information contained herein, including illustrations, specifications, and dimensions, is believed to be reliable as of the date of this publication, but is subject to change without notice. ADB reserves the right to make changes and improvements to its products and assumes no responsibility for these modifications. Any disclosure of this information is strictly prohibited except as ADB Artified Solutions, Ilic. may otherwise agree to in writing.					ake	DRAWING NUMBER:		REV.
LED PAPI INSTALLATION OF FIELD CABLE - 4 BOX VOLTAGE	cranges and improvements to its products and assumes no responsibility for these modifications. Any disclosure of this information is strictly prohibited except as ADB Artifield Solutions, lic. may otherwise agree to in writing. Convright 10/2012 ADB Artifield Solutions. Inc.						117A0078		
LED I ALTINO IALLATION OF TILLE OADLE - 4 DOX CONNENT	Copyright	© 2012 ADB A	irheid Solutions, Inc.						


96A0446 117A0085


117A0086


117A0087

117A0088


THIS DRAWING IS ONLY INTENDED FOR USE AS GENERAL AIRFIELD SYSTEM DESIGN GUIDANCE. THE DESIGNER MUST VERIFY DESIGN WITH LOCAL CODES AND VARYING CHARACTERISTICS FOR EACH UNIQUE AIRFIELD APPLICATION.











SECTION D-D














LED PAPI 3 LEG FOUNDATION DETAIL

						CONTROLLED COPY			
						Unauthorized duplication of this document in whole or part is prohibited. Initialed in RED ink below indicates authorized copy.			
						INITIAL & DATE:			
						ADB			
						SAFEGATE			
						ADB Airfield Solutions 977 Gahanna Parkway, Columbus, Ohio 43230			
D	4483	1-1/4" TRADE SIZE WAS 1"		JEG	02DEC15	Telephone: 614-861-1304, Fax: 614-864-2069			
С	4243	ADD OPTION FOR LONGER CORDS		DLR	25SEP14	DRAWING TITLE:			
В		PRODUCTION RELEASE		DLR	22JUL14	LED PAPI STYLE A & STYLE B TYPICAL SYSTEM INSTALLATION DETAILS			
А		PRODUCTION RELEASE		DLR	10APR13	L-880 / L-881	511 DE 17 11 EO		
REV LEVEL	ECO NUMBER	REVISION DESCRIPTION		DRAWN BY	REV DATE				
ASSOCIA*	ASSOCIATED DRAWINGS: DRAWN BY: DLR		DRAWN 10AP			SHEET NUMBER:			
All inform	nation contained h	erein, including illustratio			N/A	3 of 3			
be reliable	All information contained herein, including illustrations, specifications, and dimensions, is believed to be reliable as of the side of this publication, but is subject to change without notice. ADB reserves the right to make changes and improvements to its products and assumes no responsibility for these modifications. Any disclosure					DRAWING NUMBER:			
of this info	changes and improvements to its products and assumes no responsibility for these modifications. Any discussure of this information is strictly prohibited except as ADB Arfield Solutions, lic. may otherwise agree to in writing. Convinitht. @2012 ADB Affield Solutions, lic.					117A0078		D	